| Ref | Hits | Search Query | DBs | Default | Plurals | Time Stamp |
|-----|------|---|---|----------|---------|------------------|
| # | | | | Operator | | |
| L1 | 2940 | 307/10.1.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/14 11:09 |
| S2 | 1820 | litz with wire | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 11:50 |
| S3 | 1 | litz with star | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/04 16:53 |
| S4 | 1 | litz with star | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/04 16:53 |
| S5 | 4 | litz same star | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/04 16:53 |
| S6 | 21 | ("1996186" "2130508" "2759991" "2883605" "2927260" "3383456" "3851287" "4206958" "4431860" "4508934" "4790780" "4808773" "4910653").PN. OR ("5804892"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/04 16:56 |
| S7 | 81 | litzendraht · | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/08 11:36 |
| S8 | | ("5734658" "6249060").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/05 10:12 |

| Г | *************************************** | | | 1 | 1 | T |
|-----|---|---|---|------|------|------------------|
| S9 | 45 | "307"/\$.ccls. and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/05 10:34 |
| S10 | 67 | litz same coaxial | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 14:23 |
| S11 | 420 | litz and (vehicle auto automobile) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 11:39 |
| S12 | 22 | S11 and litz same ((power energy) and (data information signal)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON ' | 2006/04/05 14:25 |
| S14 | 310 | litz with ((high-frequency)(high adj frequency)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 14:57 |
| S15 | 17 | litz with ((high-frequency)(high adj frequency)) same capacitor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 14:58 |
| S16 | 4 | litz same vehicle same (power energy) same (data information signals) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 16:14 |
| S17 | 77 | litz same (power energy) same (data information signals) not S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/04/05 15:36 |

| | | | | | | ··· |
|-----|-----|---|---|----|-----|------------------|
| S18 | 2 | ("4628151").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/05 15:36 |
| S19 | 18 | litz with vehicle | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 16:52 |
| S20 | 17 | litz and vehicle adj body | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ÓΝ | 2006/04/05 16:56 |
| S21 | 0 | coaxial same vehicle adj body and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 16:57 |
| S22 | 17 | (vehicle adj body) and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 16:58 |
| S23 | 6 | 307/9.1-10.8.ccls. and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 17:05 |
| S24 | 2 | ("5293308").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/05 17:06 |
| S25 | 153 | coaxial with vehicle with body with (middle central center) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 17:07 |
| S26 | 0 | ("2003/0057771").URPN. | USPAT | OR | OFF | 2006/04/05 17:29 |

| | | | 1 | | | |
|-----|-----|--|---|------|-----|------------------|
| S27 | 160 | litz with ferrite | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/04/05 17:30 |
| S28 | 101 | litz with ferrite near2 (loop ring core) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 17:30 |
| S29 | 1 | litz with ferrite near2 (loop ring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 17:31 |
| S30 | 1 | litz with ferrite with (loop ring) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 17:31 |
| S31 | 13 | litz same (ferrite with (loop ring)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 17:36 |
| S32 | 55 | (annular adj core) same (ferrite with (loop ring)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 17:37 |
| S33 | 110 | (high near2 current) same (ferrite with (loop ring)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/05 17:42 |
| S34 | 178 | "307"/\$.ccls. and (ferrite with (loop ring)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON. | 2006/04/05 17:42 |

| | | **** | 1 | 1 | | · |
|-----|-----|--|---|----|----|------------------|
| S35 | 861 | (ferrite ferritic iron) near2 (loop ring) with (wire conductor line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 08:43 |
| S36 | 555 | (ferrite ferritic iron) near1 (loop ring) with (wire conductor line) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 08:44 |
| S37 | 383 | (ferrite ferritic iron) near1 (loop ring) with (wire conductor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 08:52 |
| S38 | 3 | (ferrite ferritic iron) near1 (loop ring) with (wire conductor) and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 08:48 |
| S39 | 80 | ((ferrite ferritic iron) and (loop ring)).ti. and (ferrite ferritic iron) near2 (loop ring) with (wire conductor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 08:48 |
| S40 | 37 | (ferrite ferritic iron) near1 (loop ring) with (wire conductor) same (noise filter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 09:37 |
| S41 | 104 | (wave adj impedance) with ohms | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 09:39 |
| S42 | 0 | S41 and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 09:38 |

| | | | <u>-</u> | · · · · · · · · · · · · · · · · · · · | , | |
|-----|-----|--|---|---------------------------------------|-----|------------------|
| S43 | 21 | (wave adj impedance) with ohms same (conductor wire) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/04/06 09:39 |
| S44 | 335 | (transmission adj characteristic) with db | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 10:28 |
| S45 | 0 | S44 and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 09:59 |
| S46 | 102 | (transmission adj characteristic) with db with frequency | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR · | ON | 2006/04/06 10:29 |
| S47 | 14 | (transmission adj characteristic) with db with frequency near3 mhz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 10:42 |
| S48 | 18 | (transmission adj characteristic) same db with frequency near3 mhz not S47 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/06 10:42 |
| S49 | 108 | 307/1.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 10:51 |
| S50 | 205 | litz with (cable wire conductor) same capacitor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/06 14:52 |

| | | 1 | | γ | T | |
|-----|------|-------------------------------------|---|------|------|------------------|
| S51 | 6 | litz and star and (star with point) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/09/06 15:01 |
| S52 | 4 | litz and (star adj point) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/06 15:02 |
| S53 | 1006 | "307"/\$.ccls. and star | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 11:22 |
| S54 | 246 | S53 and (vehicle automobile car) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 11:39 |
| S55 | 2 | ("6249060").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 11:25 |
| S56 | 3 | S54 and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2006/09/07 11:46 |
| S57 | 282 | litz same (capacitor capacitance) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 12:12 |
| S58 | 4627 | coaxial with capacitor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 13:03 |

| | | | iii iiiscoi y | | | |
|-----|------|--|---|------|----|------------------|
| S59 | 11 | coaxial with capacitor and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/09/07 12:13 |
| S60 | 1893 | coaxial near4 capacitor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 13:10 |
| S61 | 61 | coaxial same (capacitor with (connect\$3) with (strand bundle individual each)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 13:52 |
| S62 | 133 | "174"/\$.ccls. and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 13:53 |
| S63 | 18 | "174"/\$.ccls. and litz and capacitor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 14:48 |
| S64 | | 174/128.1-128.2.ccls. and capacitor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 14:50 |
| S67 | 226 | ((wire with bundle)(coaxial)) same capacitor same (high adj (frequency frequencies)) same shield | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 14:53 |
| S68 | 201 | ((wire with bundle)(coaxial)) with capacitor with shield | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 14:54 |

| S69 | 201 | ((ctrand hundle)(coavial)) with | LIC DCDUB. | OR | ON | 2006/00/07 14:54 |
|-----|------|---|---|------|------|------------------|
| 309 | 201 | ((strand bundle)(coaxial)) with capacitor with shield | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2006/09/07 14:54 |
| S70 | 201 | (strand bundle coaxial) with capacitor with shield | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR : | ON | 2006/09/07 15:31 |
| S71 | 1 | S70 and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 14:55 |
| S73 | 224 | (coaxial) same capacitor with connect\$3 with (shield) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 15:32 |
| S74 | 19 | ("2412575" "2974303" "3773109").PN. OR ("4028660"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/07 15:40 |
| S75 | 250 | (litz).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/08 11:36 |
| S76 | 12 | litz and (vehicle auto automobile) AND star | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 11:44 |
| S77 | 1 | S76 and coaxial | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 11:40 |
| S78 | 1731 | coaxial and (vehicle auto automobile) AND star | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 11:55 |

| S79 | 1731 | coaxial and (vehicle auto | US-PGPUB; | OR | ON | 2006/09/08 14:30 |
|-----|-------|--|---|------|----|-------------------|
| | 1,31 | automobile) and star | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | | | 2000/03/00 1 1130 |
| S80 | 1 | S79 and litz | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 11:55 |
| S81 | 12 | litz and (vehicle auto automobile) AND star | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 11:55 |
| S82 | 351 | (vehicle auto automobile) and star same coaxial | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/12 14:59 |
| S83 | 38 | litz with coaxial | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:34 |
| 584 | 96 | star adj structure and vehicle | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR · | ON | 2006/09/12 10:41 |
| S85 | 8 | (star adj structure and vehicle).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/12 10:41 |
| S86 | 15500 | (vehicle auto automobile) and coaxial and ground | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/20 13:32 |

| | | | · - | | | |
|-----|------|---|---|----|-----|------------------|
| S87 | 593 | S86 and star | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/12 15:00 |
| S88 | 130 | S86 and star same (topology network) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/12 15:05 |
| S89 | 4535 | (vehicle auto automobile) and coaxial same ground | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/12 15:05 |
| S90 | 16 | S89 and star same (topology network) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/12 15:05 |
| S91 | 1618 | (vehicle auto automobile) and coaxial with ground | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/12 15:16 |
| S95 | 741 | 174/128.1.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 11:52 |
| S96 | 6 | S95 and capacitor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 11:53 |
| S97 | 9 | S95 and star | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 11:54 |

| S98 | 832 | vehicle and star with (tree network) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/09/20 11:54 |
|----------|------|---|---|------|-----|------------------|
| S99 | 104 | S98 and coaxial | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/20 14:34 |
| S10 0 | 2197 | (vehicle automobile) and (coaxial with (wire conductor line litz)) same (ground body) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/20 15:03 |
| S10 1 | . 44 | S100 and star | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/20 13:35 |
| S10 2 | | (("5745027") or ("5751823")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/20 14:34 |
| S10 3 | 544 | (vehicle automobile) and (coaxial with (wire conductor line litz)) same (ground body) with (center central) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/20 16:01 |
| S10 4 | 119 | coaxial same (automobile vehicle) same (center central) with (wire conductor line) with body | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/20 15:52 |
| S10 5 | 86 | coaxial same (automobile vehicle) same (center central) with (wire conductor line) with ground | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/20 15:52 |

| S10 | 5 | (vehicle automobile) and (litz with | US-PGPUB; | OR | ON | 2006/09/20 16:06 |
|----------|-----|---|---|----|-----|------------------|
| 6 | | (wire conductor line litz)) same (ground body) with (center central) | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | | | |
| S10 7 | 2 | (vehicle automobile) and star with (network configuration) and (ground same body) same coaxial | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/20 16:08 |
| S10 8 | 52 | (vehicle automobile) and star with (network configuration topology) and (ground same body) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/20 16:08 |
| S10 9 | 29 | ("20020030249" "20030052771" "33 00682" "3973227" "4077022" "4268 957" "4642417" "5734658" "574502 7" "5804892" "6005304" "6249060" "6495763").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/10 18:10 |
| S11 0 | 839 | star near3 (network configured configuration) and power and (vehicle motorvehicle automobile) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:03 |
| S11 1 | 657 | S110 and (data information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 18:37 |
| S11 2 | 447 | S110 and power same (data information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 18:38 |
| S11 3 | 456 | S110 and (power energy) same (data information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 18:38 |

| | , | y | · | , | | |
|----------|--------------|--|--|------|-----|------------------|
| S11 4 | 10 | ("4355303" "4621170" "4734919" "5210519" "5406260" "5789959").PN. OR ("6577230"). URPN. | US-PGPUB; USPAT; USOCR | OR . | OFF | 2007/05/10 19:01 |
| S11 5 | 94 | S113 and (coaxial litz) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:03 |
| S11 6 | 203 | (twist\$3 wrapped) near4 litz | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:09 |
| S11 7 | . 15 | S116 and (vehicle motorvehicle automobile) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:04 |
| S11 8 | 21 | (twist\$3 wrapped) near4 litz with (center central core) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:21 |
| S11 9 | 1 | (twist\$3 wrapped) near4 litz with (capacitor capacitance) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:23 |
| S12 0 | | (twist\$3 wrap\$3) near4 litz with (capacitor capacitance) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:23 |

| S12 1 | 5 | (twist\$3 wrap\$3) near4 litz same (capacitor capacitance) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:23 |
|----------|------|--|--|----|-----|------------------|
| S12 2 | 13 | (twist\$3 wrap\$3) with litz same (capacitor capacitance) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:23 |
| S12 3 | 30 | (twist\$3 wrap\$3) same litz same (capacitor capacitance) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:49 |
| S12 4 | 1343 | 375/257.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/10 19:52 |
| S12 5 | 1 | ((vehicle automobile) and star and (energy power) and litz).clm. | US-PGPUB | OR | ON | 2007/05/10 19:53 |
| S12 6 | 41 | ((vehicle automobile) and star and (energy power)).clm. | US-PGPUB | OR | ON | 2007/05/10 19:55 |
| S12 7 | 2940 | 307/10.1.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/10 19:55 |